



## FACT SHEET

### Commerce Preliminarily Finds Countervailable Subsidization of Imports of Circular Welded Carbon-Quality Steel Pipe from Pakistan

- On April 4, 2016, the Department of Commerce (Commerce) announced its affirmative preliminary determination in the countervailing duty (CVD) investigation of imports of circular welded carbon-quality steel pipe from Pakistan.
- The CVD law provides U.S. business and workers with a transparent, quasi-judicial, and internationally accepted mechanism to seek relief from the market distorting effects caused by injurious subsidization of imports into the United States, establishing an opportunity to compete on a level playing field.
- For the purpose of CVD investigations, a countervailable subsidy is financial assistance from foreign governments that benefits the production of goods from foreign companies and is limited to specific enterprises or industries, or is contingent either upon export performance or upon the use of domestic goods over imported goods.
- Commerce calculated a preliminary subsidy rate of 64.81 percent for the mandatory respondent, International Industries Limited. The preliminary subsidy rate is based on facts available and adverse inferences following Commerce's preliminary determination that the mandatory respondent and the Government of Pakistan had not fully cooperated in the investigation. All other exporters/producers in Pakistan have also been assigned a preliminary subsidy rate of 64.81 percent.
- As a result of the preliminary affirmative determination, Commerce will instruct U.S. Customs and Border Protection to require cash deposits based on these preliminary rates.
- The petitioners in this investigation are Bull Moose Tube Company (MO), EXLTUBE (MO), Wheatland Tube (IL), and Western Tube & Conduit (CA).
- The investigation covers welded carbon-quality steel pipes and tube, of circular cross-section, with an outside diameter (O.D.) not more than nominal 16 inches (406.4 mm), regardless of wall thickness, surface finish (e.g., black, galvanized, or painted), end finish (plain end, beveled end, grooved, threaded, or threaded and coupled), or industry specification (e.g., American Society for Testing and Materials International (ASTM), proprietary, or other), generally known as standard pipe, fence pipe and tube, sprinkler pipe, and structural pipe (although subject product may also be referred to as mechanical tubing). Specifically, the term "carbon quality" includes products in which:
  - (a) iron predominates, by weight, over each of the other contained elements;
  - (b) the carbon content is 2 percent or less, by weight; and
  - (c) none of the elements listed below exceeds the quantity, by weight, as indicated:
    - (i) 1.80 percent of manganese;
    - (ii) 2.25 percent of silicon;
    - (iii) 1.00 percent of copper;

- (iv) 0.50 percent of aluminum;
- (v) 1.25 percent of chromium;
- (vi) 0.30 percent of cobalt;
- (vii) 0.40 percent of lead;
- (viii) 1.25 percent of nickel;
- (ix) 0.30 percent of tungsten;
- (x) 0.15 percent of molybdenum;
- (xi) 0.10 percent of niobium;
- (xii) 0.41 percent of titanium;
- (xiii) 0.15 percent of vanadium; or
- (xiv) 0.15 percent of zirconium.

Covered products are generally made to standard O.D. and wall thickness combinations. Pipe multi-stenciled to a standard and/or structural specification and to other specifications, such as American Petroleum Institute (API) API-5L specification, may also be covered by the scope of these investigations. In particular, such multi-stenciled merchandise is covered when it meets the physical description set forth above, and also has one or more of the following characteristics: is 32 feet in length or less; is less than 2.0 inches (50 mm) in outside diameter; has a galvanized and/or painted (e.g., polyester coated) surface finish; or has a threaded and/or coupled end finish.

Standard pipe is ordinarily made to ASTM specifications A53, A135, and A795, but can also be made to other specifications. Structural pipe is made primarily to ASTM specifications A252 and A500. Standard and structural pipe may also be produced to proprietary specifications rather than to industry specifications.

Sprinkler pipe is designed for sprinkler fire suppression systems and may be made to industry specifications such as ASTM A53 or to proprietary specifications.

Fence tubing is included in the scope regardless of certification to a specification listed in the exclusions below, and can also be made to the ASTM A513 specification. Products that meet the physical description set forth above but are made to the following nominal outside diameter and wall thickness combinations, which are recognized by the industry as typical for fence tubing, are included despite being certified to ASTM mechanical tubing specifications:

O.D. in inches (nominal)	Wall thickness in inches (nominal)	Gage
1.315	0.035	20
1.315	0.047	18
1.315	0.055	17
1.315	0.065	16
1.315	0.072	15
1.315	0.083	14
1.315	0.095	13
1.660	0.055	17
1.660	0.065	16
1.660	0.083	14
1.660	0.095	13

1.660	0.109	12
1.900	0.047	18
1.900	0.055	17
1.900	0.065	16
1.900	0.072	15
1.900	0.095	13
1.900	0.109	12
2.375	0.047	18
2.375	0.055	17
2.375	0.065	16
2.375	0.072	15
2.375	0.095	13
2.375	0.109	12
2.375	0.120	11
2.875	0.109	12
2.875	0.165	8
3.500	0.109	12
3.500	0.165	8
4.000	0.148	9
4.000	0.165	8
4.500	0.203	7

The scope of this investigation does not include:

- (a) pipe suitable for use in boilers, superheaters, heat exchangers, refining furnaces and feedwater heaters, whether or not cold drawn, which are defined by standards such as ASTM A178 or ASTM A192;
- (b) finished electrical conduit, i.e., Electrical Rigid Steel Conduit (aka Electrical Rigid Metal Conduit and Electrical Rigid Metal Steel Conduit), Finished Electrical Metallic Tubing, and Electrical Intermediate Metal Conduit, which are defined by specifications such as American National Standard (ANSI) C80.1-2005, ANSI C80.3-2005, or ANSI C80.6-2005, and Underwriters Laboratories Inc. (UL) UL-6, UL-797, or UL-1242;
- (c) finished scaffolding, i.e., component parts of final, finished scaffolding that enter the United States unassembled as a “kit.” A kit is understood to mean a packaged combination of component parts that contains, at the time of importation, all of the necessary component parts to fully assemble final, finished scaffolding;
- (d) tube and pipe hollows for redrawing;
- (e) oil country tubular goods produced to API specifications;
- (f) line pipe produced to only API specifications, such as API 5L, and not multi-stenciled; and
- (g) mechanical tubing, whether or not cold-drawn, other than what is included in the above paragraphs.

The products subject to this investigation are currently classifiable in Harmonized Tariff Schedule of the United States (HTSUS) statistical reporting numbers 7306.19.1010, 7306.19.1050, 7306.19.5110, 7306.19.5150, 7306.30.1000, 7306.30.5015, 7306.30.5020, 7306.30.5025, 7306.30.5032, 7306.30.5040, 7306.30.5055, 7306.30.5085, 7306.30.5090, 7306.50.1000, 7306.50.5030,

7306.50.5050, and 7306.50.5070. The HTSUS subheadings above are provided for convenience and U.S. Customs purposes only. The written description of the scope of the investigation is dispositive.

- In 2014, imports of circular welded carbon-quality steel pipe from Pakistan were valued at an estimated \$17 million.

#### **NEXT STEPS**

- Commerce is scheduled to announce its final determination in this investigation on August 16, 2016, unless the statutory deadline is extended.
- If Commerce makes an affirmative final determination, and the U.S. International Trade Commission (ITC) makes an affirmative final determination that imports of circular welded carbon-quality steel pipe from Pakistan materially injure, or threaten material injury to, the domestic industry, Commerce will issue a CVD order. If either Commerce's or the ITC's final determination is negative, no CVD order will be issued. The ITC is scheduled to make its final injury determination approximately 45 days after Commerce issues its final determination, if affirmative.

#### **PRELIMINARY SUBSIDY RATES:**

<b>COUNTRY</b>	<b>EXPORTER/PRODUCER</b>	<b>SUBSIDY RATES</b>
<b>Pakistan</b>	<b>International Industries Limited</b>	<b>64.81%</b>
	<b>All Others</b>	<b>64.81%</b>

## CASE CALENDAR:

EVENT	DATE
Petition Filed	October 28, 2015
DOC Initiation Date	November 17, 2015
ITC Preliminary Determination	December 14, 2015†
DOC Preliminary Determination	April 1, 2016
DOC Final Determination	August 15, 2016
ITC Final Determination**	September 29, 2016
Issuance of Order***	October 6, 2016

†Where the deadline falls on a weekend/holiday, the appropriate date is the next business day.

\*\*This will take place only in the event of a final affirmative determination from Commerce.

\*\*\*This will take place only in the event of a final affirmative determination from Commerce and the ITC.

## IMPORT STATISTICS:

PAKISTAN	2012	2013	2014
Volume (metric tons)	23,600	11,500	21,600
Value (USD)	23,793,000	9,789,000	17,046,000