

Total Number of Pages: **INSERT TOTAL NUMBER OF PAGES**

Investigation

E&C/OVI

INDICATE TYPE OF DOCUMENT, SEE ATTACHMENT III.B.1.e.

**OFFICE OF AD/CVD ENFORCEMENT
QUANTITY AND VALUE QUESTIONNAIRE**

REQUESTER(S): **INSERT NAME OF COMPANY**
COMPANY ADDRESS
CONTACT NAME AND TITLE
CONTACT TELEPHONE NUMBER
CONTACT FAX NUMBER
CONTACT E-MAIL ADDRESS

REPRESENTATION: **INSERT NAME OF COUNSEL, LAW FIRM AND CONTACT INFO**

CASE: Tin Mill Products from Korea

PERIOD OF INVESTIGATION: January 1, 2022, through December 31, 2022

DATE OF INITIATION: February 7, 2023

DUE DATE FOR Q&V RESPONSE: March 13, 2023

OFFICIALS IN CHARGE:

NAME: Fred Baker

PHONE: (202) 482-2924

E-MAIL: Fred.Baker@trade.gov

ATTACHMENT I

FORMAT FOR REPORTING QUANTITY AND VALUE OF SALES

In providing the information in the chart below, please provide the total quantity of units and total value (in U.S. dollars) of all your sales to the United States during the period **January 1, 2022, through December 31, 2022**, of merchandise covered by the scope of this investigation (*see* Attachment II), produced in Korea.¹

Please include only sales exported by your company directly to the United States. However, if your company made sales to third-countries for which you have knowledge that the merchandise was ultimately destined for the United States, please separately identify these sales quantities and the location (*i.e.*, countries) to which you made the sales.

Even if you believe that you should be treated as a single entity along with other exporters, please do not report aggregate data for all of the companies that you believe should be treated as a single entity but separately report your company's quantity and value data below. Quantity and value data pertaining to other, possibly affiliated companies, that you believe should be treated together with your company as a single entity should be separately reported by those companies.

Market: United States	Total Quantity		Terms of Sale ²	Total Value ³ (U.S. Dollars)
	Pieces	Kilograms		
1. Export Price ⁴				
2. Constructed Export Price ⁵				
3. Further Manufactured ⁶				
Total				

¹ Please use the invoice date when determining which sales to include within the period noted above. Generally, Commerce uses invoice date as the date of sale, as that is when the essential terms of sale are set. If you believe that another date besides the invoice date would provide a more accurate representation of your company's sales during the designated period, please report sales based on that date and provide a full explanation.

² To the extent possible, sales values should be reported based on the same terms (*e.g.*, FOB).

³ Values should be expressed in U.S. dollars. Indicate any exchange rates used and their respective dates and sources.

⁴ Generally, a U.S. sale is classified as an export price sale when the first sale to an unaffiliated person occurs before the goods are imported into the United States.

⁵ Generally, a U.S. sale is classified as a constructed export price sale when the first sale to an unaffiliated person occurs after importation. However, if the first sale to the unaffiliated person is made by a person in the United States affiliated with the foreign exporter, constructed export price applies even if the sale occurs prior to importation. Do not report the sale to the affiliated party in the United States, rather report the sale made by the affiliated party to the unaffiliated customer in the United States. If you have sales of further manufactured merchandise, please report them under Item 3, rather than under Item 2.

⁶ "Further manufactured" refers to merchandise that undergoes further manufacture or assembly in the United States before sale to the first unaffiliated customer.

ATTACHMENT II

DESCRIPTION OF PRODUCTS UNDER INVESTIGATION

The products within the scope of these investigations are tin mill flat-rolled products that are coated or plated with tin, chromium, or chromium oxides. Flat-rolled steel products coated with tin are known as tinplate. Flat-rolled steel products coated with chromium or chromium oxides are known as tin-free steel or electrolytic chromium-coated steel. The scope includes all the noted tin mill products regardless of thickness, width, form (in coils or cut sheets), coating type (electrolytic or otherwise), edge (trimmed, untrimmed or further processed, such as scroll cut), coating thickness, surface finish, temper, coating metal (tin, chromium, chromium oxide), reduction (single- or double-reduced), and whether or not coated with a plastic material.

All products that meet the written physical description are within the scope of these investigations unless specifically excluded. The following products are outside and/or specifically excluded from the scope of these investigations:

- Single reduced electrolytically chromium coated steel with a thickness 0.238 mm (85 pound base box) ($\pm 10\%$) or 0.251 mm (90 pound base box) ($\pm 10\%$) or 0.255 mm ($\pm 10\%$) with 770 mm (minimum width) (± 1.588 mm) by 900 mm (maximum length if sheared) sheet size or 30.6875 inches (minimum width) ($\pm 1/16$ inch) and 35.4 inches (maximum length if sheared) sheet size; with type MR or higher (per ASTM) A623 steel chemistry; batch annealed at T2 $\frac{1}{2}$ anneal temper, with a yield strength of 31 to 42 kpsi (214 to 290 Mpa); with a tensile strength of 43 to 58 kpsi (296 to 400 Mpa); with a chrome coating restricted to 32 to 150 mg/m²; with a chrome oxide coating restricted to 6 to 25 mg/m² with a modified 7B ground roll finish or blasted roll finish; with roughness average (Ra) 0.10 to 0.35 micrometers, measured with a stylus instrument with a stylus radius of 2 to 5 microns, a trace length of 5.6 mm, and a cut-off of 0.8 mm, and the measurement traces shall be made perpendicular to the rolling direction; with an oil level of 0.17 to 0.37 grams/base box as type BSO, or 2.5 to 5.5 mg/m² as type DOS, or 3.5 to 6.5 mg/m² as type ATBC; with electrical conductivity of static probe voltage drop of 0.46 volts drop maximum, and with electrical conductivity degradation to 0.70 volts drop maximum after stoving (heating to 400 degrees F for 100 minutes followed by a cool to room temperature).
- Single reduced electrolytically chromium- or tin-coated steel in the gauges of 0.0040 inch nominal, 0.0045 inch nominal, 0.0050 inch nominal, 0.0061 inch nominal (55 pound base box weight), 0.0066 inch nominal (60 pound base box weight), and 0.0072 inch nominal (65 pound base box weight), regardless of width, temper, finish, coating or other properties.
- Single reduced electrolytically chromium coated steel in the gauge of 0.024 inch, with widths of 27.0 inches or 31.5 inches, and with T-1 temper properties.
- Single reduced electrolytically chromium coated steel, with a chemical composition of 0.005% max carbon, 0.030% max silicon, 0.25% max manganese, 0.025% max

phosphorous, 0.025% max sulfur 0.070% max aluminum, and the balance iron, with a metallic chromium layer of 70- 130 mg/m², with a chromium oxide layer of 5-30 mg/m², with a tensile strength of 260-440 N/mm², with an elongation of 28-48%, with a hardness (HR-30T) of 40-58, with a surface roughness of 0.5-1.5 microns Ra, with magnetic properties of Bm (kg) 10.0 minimum, Br (kg) 8.0 minimum, Hc (Oe) 2.5-3.8, and MU 1400 minimum, as measured with a Riken Denshi DC magnetic characteristic measuring machine, Model BHU-60.

- Bright finish tin-coated sheet with a thickness equal to or exceeding 0.0299 inch, coated to thickness of $\frac{3}{4}$ pound (0.000045 inch) and 1 pound (0.00006 inch).
- Electrolytically chromium coated steel having ultra flat shape defined as oil can maximum depth of 5/64 inch (2.0 mm) and edge wave maximum of 5/64 inch (2.0 mm) and no wave to penetrate more than 2.0 inches (51.0 mm) from the strip edge and coilset or curling requirements of average maximum of 5/64 inch (2.0 mm) (based on six readings, three across each cut edge of a 24 inches (61 cm) long sample with no single reading exceeding 4/32 inch (3.2 mm) and no more than two readings at 4/32 inch (3.2 mm)) and (for 85 pound base box item only: crossbuckle maximums of 0.001 inch (0.0025 mm) average having no reading above 0.005 inch (0.127 mm)), with a camber maximum of $\frac{1}{4}$ inch (6.3 mm) per 20 feet (6.1 meters), capable of being bent 120 degrees on a 0.002 inch radius without cracking, with a chromium coating weight of metallic chromium at 100 mg/m² and chromium oxide of 10 mg/m², with a chemistry of 0.13% maximum carbon, 0.60% maximum manganese, 0.15% maximum silicon, 0.20% maximum copper, 0.04% maximum phosphorous, 0.05% maximum sulfur, and 0.20% maximum aluminum, with a surface finish of Stone Finish 7C, with a DOS-A oil at an aim level of 2 mg/square meter, with not more than 15 inclusions/foreign matter in 15 feet (4.6 meters) (with inclusions not to exceed 1/32 inch (0.8 mm) in width and 3/64 inch (1.2 mm) in length), with thickness/temper combinations of either 60 pound base box (0.0066 inch) double reduced CADR8 temper in widths of 25.00 inches, 27.00 inches, 27.50 inches, 28.00 inches, 28.25 inches, 28.50 inches, 29.50 inches, 29.75 inches, 30.25 inches, 31.00 inches, 32.75 inches, 33.75 inches, 35.75 inches, 36.25 inches, 39.00 inches, or 43.00 inches, or 85 pound base box (0.0094 inch) single reduced CAT4 temper in widths of 25.00 inches, 27.00 inches, 28.00 inches, 30.00 inches, 33.00 inches, 33.75 inches, 35.75 inches, 36.25 inches, or 43.00 inches, with width tolerance of 1/8 inch, with a thickness tolerance of 0.0005 inch, with a maximum coil weight of 20,000 pounds (9071.0 kg), with a minimum coil weight of 18,000 pounds (8164.8 kg), with a coil inside diameter of 16 inches (40.64 cm) with a steel core, with a coil maximum outside diameter of 59.5 inches (151.13 cm), with a maximum of one weld (identified with a paper flag) per coil, with a surface free of scratches, holes, and rust.
- Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents in the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.7 mg/square foot of chromium applied as a cathodic dichromate treatment, with coil form having restricted oil film weights of 0.3-0.4 grams/base box of type DOS-A oil, coil inside diameter ranging from 15.5 to 17 inches, coil outside diameter of a maximum 64 inches, with a maximum coil weight of

25,000 pounds, and with temper/coating/dimension combinations of: (1) CAT4 temper, 1.00/.050 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 33.1875 inch ordered width; or (2) CAT5 temper, 1.00/0.50 pound/base box coating, 75 pound/base box (0.0082 inch) thickness, and 34.9375 inch or 34.1875 inch ordered width; or (3) CAT5 temper, 1.00/0.50 pound/base box coating, 107 pound/base box (0.0118 inch) thickness, and 30.5625 inch or 35.5625 inch ordered width; or (4) CADR8 temper, 1.00/0.50 pound/base box coating, 85 pound/base box (0.0093 inch) thickness, and 35.5625 inch ordered width; or (5) CADR8 temper, 1.00/0.25 pound/base box coating, 60 pound/base box (0.0066 inch) thickness, and 35.9375 inch ordered width; or (6) CADR8 temper, 1.00/0.25 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 32.9375 inch, 33.125 inch, or 35.1875 inch ordered width.

- Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents on the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.5 mg/square foot of chromium applied as a cathodic dichromate treatment, with ultra flat scroll cut sheet form, with CAT5 temper with 1.00/0.10 pound/base box coating, with a lithograph logo printed in a uniform pattern on the 0.10 pound coating side with a clear protective coat, with both sides waxed to a level of 15-20 mg/216 sq. inch, with ordered dimension combinations of (1) 75 pound/base box (0.0082 inch) thickness and 34.9375 inch x 31.748 inch scroll cut dimensions; or (2) 75 pound/base box (0.0082 inch) thickness and 34.1875 inch x 29.076 inch scroll cut dimensions; or (3) 107 pound/base box (0.0118 inch) thickness and 30.5625 inch x 34.125 inch scroll cut dimension.
- Tin-free steel coated with a metallic chromium layer between 100-200 mg/m² and a chromium oxide layer between 5-30 mg/m²; chemical composition of 0.05% maximum carbon, 0.03% maximum silicon, 0.60% maximum manganese, 0.02% maximum phosphorous, and 0.02% maximum sulfur; magnetic flux density (Br) of 10 kg minimum and a coercive force (Hc) of 3.8 Oe minimum.
- Tin-free steel laminated on one or both sides of the surface with a polyester film, consisting of two layers (an amorphous layer and an outer crystal layer), that contains no more than the indicated amounts of the following environmental hormones: 1 mg/kg BADGE (BisPhenol – A Di-glycidyl Ether), 1 mg/kg BFDGE (BisPhenol – F Di-glycidyl Ether), and 3 mg/kg BPA (BisPhenol – A).

The merchandise subject to these investigations is currently classified in the Harmonized Tariff Schedule of the United States (HTSUS), under HTSUS subheadings 7210.11.0000, 7210.12.0000, 7210.50.0020, 7210.50.0090, 7212.10.0000, and 7212.50.0000 if of non-alloy steel and under HTSUS subheadings 7225.99.0090, and 7226.99.0180 if of alloy steel. Although the subheadings are provided for convenience and customs purposes, the written description of the scope of the investigations is dispositive.

ATTACHMENT III

GENERAL INSTRUCTIONS

Instructions for Filing the Response

The following instructions apply to all documents you submit to Commerce during the course of this proceeding.

A. Due Date

1. All submissions must be made electronically using Commerce's ACCESS website at <https://access.trade.gov>. If an exception to the electronic filing requirement applies, you must address and manually submit your response to the address indicated on the cover page of this questionnaire. To determine if your response qualifies for manual filing, see the section on "Manual Filing" below. All laws, regulations, and other descriptive materials that supplement your responses should be submitted on the same date as the initial response.
2. The **business proprietary** response should be submitted on the day specified on the cover page of this questionnaire. The **public version** of the response may be filed one business day after the proprietary response.
3. An electronically filed document must be received successfully in its entirety by ACCESS by 5 p.m. Eastern Time (ET) on the due date, unless an earlier time is specified. Where applicable, a submitter must manually file a document between the hours of 8:30 a.m. and 5 p.m. ET on the due date, unless an earlier time is specified.

B. Format

1. You are required to state in the upper right-hand corner of your cover letter the following information in the following format:
 - a. on the first line, indicate the case number stated on the cover page to this questionnaire;
 - b. on the second line, indicate the total number of pages in the document including cover pages, appendices, and any unnumbered pages;
 - c. on the third line, indicate the specific segment of the proceeding, (*i.e.*, investigation) and, if applicable, indicate the complete period covered (MM/DD/YY - MM/DD/YY);
 - d. on the fourth line, indicate Commerce office conducting the proceeding;
 - e. on the fifth and subsequent lines, indicate whether any portion of the document contains business proprietary information and, if so, list the page numbers containing business proprietary information; and indicate the business proprietary/public status of the document and whether you agree or object to release of the submitted information under **administrative protective order** (APO) by stating one of the following:

- “Business Proprietary Document -- May Be Released Under APO,”
 - “Business Proprietary Document -- May Not Be Released Under APO,”
 - “Business Proprietary/APO Version-- May Be Released Under APO,” as applicable,
 - “Public Version,” or
 - “Public Document.”
2. Please include a “Re:” line on the cover letter of your response, or any other submissions you make during this proceeding. In the Re: line, briefly summarize the purpose of your submission, *e.g.*, “response to Quantity & Value questionnaire,” “case brief.”
 3. Prepare your response in typed form and in English (*see* 351.303(d) and (e) for these and other formatting requirements). Include an original and translated version of all pertinent portions of non-English language documents that accompany your response, including financial statements.
 4. It is your responsibility to contact the official in charge if subsequent to your filing there are events that affect your response (*e.g.*, changes in your cost accounting system are relevant to antidumping proceedings, and changes as a result of an audit are relevant to both antidumping and countervailing duty proceedings).

C. Manual Filing

1. **All submissions must be filed electronically.** Only under the following four circumstances will Commerce accept a hardcopy response that is manually filed:
 - Documents exceeding 500 pages in length may be filed manually (in paper form) in the APO/Dockets Unit. This is referred to as a “bulky document.”
 - Data files greater than 20 MB must be filed manually on CD-ROM or DVD.
 - If the ACCESS system is unable to accept filings continuously or intermittently over the course of any period of time greater than one hour between 12:00 p.m. and 4:30 p.m. ET or for any duration of time between 4:31 p.m. and 5:00 p.m. ET, then a person may manually file the document in the APO/Dockets Unit. Commerce will provide notice of such technical failures on the ACCESS Help Desk line at 202-482-3150 and on the Enforcement and Compliance website, which is <http://www.trade.gov/enforcement>.
 - Apart from the above, if you are unable to comply with the electronic filing requirement, as provided in 19 CFR 351.103(c), and in accordance with section

782(c) of the Tariff Act of 1930, as amended (the Act), you must promptly notify the official in charge and submit a full written explanation of the reasons you are unable to file the document electronically. You must also suggest alternative forms in which to submit the information. Commerce will consider the ability of a submitter and may modify the electronic filing requirement on a case-by-case basis.

2. All manually filed documents must be accompanied by a cover sheet generated in ACCESS. For manually filed bulky documents, separator sheets must also be generated and used.
3. If your response qualifies as a bulky document and you opt to file it manually, you must file two identical paper copies of the document. For all other authorized manual submissions, only one paper copy is required.

4. Manual submissions must be addressed and submitted to:

Secretary of Commerce

Attention: Enforcement and Compliance, AD/CVD Operations Office (*specify office number indicated on the cover page of this questionnaire*)

APO/Dockets Unit, Room 18022

U.S. Department of Commerce

1401 Constitution Avenue, N.W.

Washington, D.C. 20230

D. Certification

1. Submit the required **certification of accuracy**. Providers of information and the person(s) submitting it, if different (*e.g.*, a legal representative), must certify that they have read the submission and that the information submitted is accurate and complete. Commerce cannot accept questionnaire responses that do not contain the certification statements. Forms for such certification are included as appendices to this questionnaire. You may photocopy this form and submit a completed copy with each of your submissions.
2. Provide the required **certificate of service** (included as an appendix) with each business proprietary document and public version submitted to Commerce.
3. Signed certifications of accuracy and certificates of service should be scanned and appended to the appropriate electronic documents filed in ACCESS.

E. Business Proprietary Information and Summarization of Business Proprietary Information

1. Request business proprietary treatment for information submitted that you do not wish to be made publicly available. As a general rule, Commerce places all correspondence and submissions received in the course of an antidumping or countervailing duty proceeding in a public reading file. However, information deemed to be proprietary

information will not be made available to the public. If you wish to make a request for proprietary treatment for particular information, refer to sections 351.304, 351.305, and 351.306 of Commerce's regulations. You must submit the request for proprietary treatment at the same time as the claimed business proprietary information is submitted to Commerce.

2. Utilize the "one-day lag rule" under 19 CFR 351.303(c)(2) if you wish an additional day to review the final bracketing of business proprietary information in a document and to prepare the required public version. The filing requirements under the one-day lag rule provide for a party to file only the business proprietary document within the applicable time limit (19 CFR 351.303(c)(2)(i)). By the close of business one business day after the date the business proprietary document is filed, the person must file the complete final business proprietary document (19 CFR 351.303(c)(2)(i)(ii)). The final business proprietary document must be identical to the original document except for any bracketing corrections.
3. By the close of business one business day after the date the business proprietary document is filed (refer to the "one-day lag rule" in the preceding paragraph), submit the public version of your response (19 CFR 351.303(c)(2)(i)(iii)). A public version must contain:
 - a. a non-proprietary (public) version of your response that is in sufficient detail to permit a reasonable understanding of the information submitted in confidence, and/or
 - b. an itemization of particular information that you believe you are unable to summarize. State the reasons why you cannot summarize each piece of information.

***Note:** The summarization requirement does not apply solely to the narrative portion of your response. It applies equally to worksheets and other appendices to your response, and even to sales and cost databases submitted in antidumping proceedings. Generally, numerical data, such as that provided in sales and cost databases in antidumping proceedings, are adequately summarized only if grouped or presented in terms of indices or figures ranged within 10 percent of the actual figure. If a particular portion of data is voluminous, use ranged figures for at least one percent of the voluminous portion.*

Responses, or portions thereof, that are not adequately summarized may be rejected from the record of this proceeding.

4. Submit the statements required regarding limited release of business proprietary information under the provisions of an APO. U.S. law permits limited disclosure to representatives of parties (e.g., legal counsel) of certain business proprietary information, including electronic business proprietary information, under an APO.

(Note that data received under an APO cannot be shared with others who are not covered by the APO.) Under the provisions governing APO disclosure, you must

submit either:

- a. a statement agreeing to permit the release under APO of information submitted by you in confidence during the course of the proceeding, or
- b. a statement itemizing those portions of the information which you believe should not be released under APO, together with arguments supporting your objections to that release.

We are required by our regulations to reject, at the time of filing, submissions of business proprietary information that do not contain one of these statements. As discussed above, you must state in the upper right-hand corner of the cover letter accompanying your questionnaire response whether you agree or object to release of the submitted information under APO (e.g., May Be Released Under APO or May Not Be Released Under APO). (See section 351.304 of Commerce's regulations for specific instructions.⁷)

5. Place brackets (“[]”) around information for which you request business proprietary treatment. Place double brackets (“[[]]”) around information for which you request proprietary treatment and which you do not agree to release under APO.
6. Provide to all parties whose representatives have been granted APO access and who are listed on Commerce's most recent APO Service List, a complete copy of the submission--proprietary document and public version, except for that information which you do not agree to release under APO. (APO service lists, as well as public service lists, are regularly updated and maintained as record documents in ACCESS at <https://access.trade.gov>.) If you exclude information because you do not agree to release it under APO, you must submit the complete business proprietary version, wherein information in double brackets has been excluded. This version of the response must be marked “Business Proprietary/APO Version-- May Be Released Under APO” on the cover page. For parties that do not have access to information under APO, please provide a public version only.

Note: A chart summarizing AD/CVD document filing requirements can be found at <https://enforcement.trade.gov/filing/index.html>. Detailed and supplemental information concerning APOs, including the APO Handbook, a complete set of APO regulations, and APO application forms and service lists, can be found at <https://access.trade.gov/login.aspx>.

⁷ If you do not agree to release under APO all or part of the proprietary information, but we determine that the information should be released, you will have the opportunity to withdraw the information. See 19 CFR 351.304(d). However, any information which you withdraw will be taken out of the official record and will not be used in our determination.

ATTACHMENT IV

CERTIFICATIONS OF FACTUAL ACCURACY AND CERTIFICATE OF SERVICE

CERTIFICATIONS OF FACTUAL ACCURACY

§ 351.303 Filing, document identification, format, translation, service, and certification of documents.

* * * * *

(g) *Certifications.* Each submission containing factual information must include the following certification from the person identified in paragraph (g)(1) of this section and, in addition, if the person has legal counsel or another representative, the certification in paragraph (g)(2) of this section. The certifying party must maintain the original signed certification for a period of five years from the date of filing the submission to which the certification pertains. The original signed certification must be available for inspection by U.S. Department of Commerce officials. Copies of the certifications must be included in the submission filed at Commerce.

(1) For the person(s) officially responsible for presentation of the factual information:

(i) COMPANY CERTIFICATION:*

I, **(PRINTED NAME AND TITLE)**, currently employed by **(COMPANY NAME)**, certify that I prepared or otherwise supervised the preparation of the attached submission of **(IDENTIFY THE SPECIFIC SUBMISSION BY TITLE) due on (DATE) OR filed on (DATE)** pursuant to the **(INSERT ONE OF THE FOLLOWING OPTIONS IN {}): {THE (ANTIDUMPING OR COUNTERVAILING) DUTY INVESTIGATION OF (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (DATES OF PERIOD OF REVIEW) (ADMINISTRATIVE OR NEW SHIPPER) REVIEW UNDER THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (SUNSET REVIEW OR CHANGED CIRCUMSTANCE REVIEW OR SCOPE RULING OR CIRCUMVENTION INQUIRY) OF THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)}**. I certify that the public information and any business proprietary information of **(CERTIFIER'S COMPANY NAME)** contained in this submission is accurate and complete to the best of my knowledge. I am aware that the information contained in this submission may be subject to verification or corroboration (as appropriate) by the U.S. Department of Commerce. I am also aware that U.S. law (including, but not limited to, 18 U.S.C. 1001) imposes criminal sanctions on individuals who knowingly and willfully make material false statements to the U.S. Government. In addition, I am aware that, even if this submission may be withdrawn from the record of the AD/CVD proceeding, the U.S. Department of Commerce may preserve this submission, including a business proprietary submission, for purposes of determining the accuracy of this certification. I certify that a copy of this signed certification will be filed with this submission to the U.S. Department of Commerce.

Signature: _____

Date: _____

* For multiple person certifications, all persons should be listed in the first sentence of the certification and all persons should sign and date the certification. In addition, singular pronouns and possessive adjectives should be changed accordingly, e.g., “I” should be changed to “we” and “my knowledge” should be changed to “our knowledge.”

(ii) GOVERNMENT CERTIFICATION:**

I, **(PRINTED NAME AND TITLE)**, currently employed by the government of **(COUNTRY)**, certify that I prepared or otherwise supervised the preparation of the attached submission of **(IDENTIFY THE SPECIFIC SUBMISSION BY TITLE) due on (DATE) OR filed on (DATE)** pursuant to the **(INSERT ONE OF THE FOLLOWING OPTIONS IN {}): {THE (ANTIDUMPING OR COUNTERVAILING) DUTY INVESTIGATION OF (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (DATES OF PERIOD OF REVIEW) (ADMINISTRATIVE OR NEW SHIPPER) REVIEW UNDER THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (SUNSET REVIEW OR CHANGED CIRCUMSTANCE REVIEW OR SCOPE RULING OR CIRCUMVENTION INQUIRY) OF THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)}**). I certify that the public information and any business proprietary information of the government of **(COUNTRY)** contained in this submission is accurate and complete to the best of my knowledge. I am aware that the information contained in this submission may be subject to verification or corroboration (as appropriate) by the U.S. Department of Commerce. In addition, I am aware that, even if this submission may be withdrawn from the record of the AD/CVD proceeding, the U.S. Department of Commerce may preserve this submission, including a business proprietary submission, for purposes of determining the accuracy of this certification. I certify that a copy of this signed certification will be filed with this submission to the U.S. Department of Commerce.

Signature: _____

Date: _____

** For multiple person certifications, all persons should be listed in the first sentence of the certification and all persons should sign and date the certification. In addition, singular pronouns and possessive adjectives should be changed accordingly, e.g., “I” should be changed to “we” and “my knowledge” should be changed to “our knowledge.”

(2) For the legal counsel or other representative:

REPRESENTATIVE CERTIFICATION:***

I, (PRINTED NAME), with (LAW FIRM or OTHER FIRM), (INSERT ONE OF THE FOLLOWING OPTIONS IN {} : {COUNSEL TO} or {REPRESENTATIVE OF}) (COMPANY NAME, OR GOVERNMENT OF COUNTRY, OR NAME OF ANOTHER PARTY), certify that I have read the attached submission of (IDENTIFY THE SPECIFIC SUBMISSION BY TITLE) due on (DATE) OR filed on (DATE) pursuant to the (INSERT ONE OF THE FOLLOWING OPTIONS IN {} : {THE (ANTIDUMPING OR COUNTERVAILING DUTY) INVESTIGATION OF (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (DATES OF PERIOD OF REVIEW) (ADMINISTRATIVE OR NEW SHIPPER) REVIEW UNDER THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)} or {THE (SUNSET REVIEW OR CHANGED CIRCUMSTANCE REVIEW OR SCOPE RULING OR CIRCUMVENTION INQUIRY) OF THE (ANTIDUMPING OR COUNTERVAILING) DUTY ORDER ON (PRODUCT) FROM (COUNTRY) (CASE NUMBER)}}). In my capacity as (INSERT ONE OF THE FOLLOWING OPTIONS IN {} : {COUNSEL} or {ADVISER, PREPARER, OR REVIEWER}) of this submission, I certify that the information contained in this submission is accurate and complete to the best of my knowledge. I am aware that U.S. law (including, but not limited to, 18 U.S.C. 1001) imposes criminal sanctions on individuals who knowingly and willfully make material false statements to the U.S. Government. In addition, I am aware that, even if this submission may be withdrawn from the record of the AD/CVD proceeding, the U.S. Department of Commerce may preserve this submission, including a business proprietary submission, for purposes of determining the accuracy of this certification. I certify that a copy of this signed certification will be filed with this submission to the U.S. Department of Commerce.

Signature: _____

Date: _____

*** For multiple representative certifications, all representatives and their firms should be listed in the first sentence of the certification and all representatives should sign and date the certification. In addition, singular pronouns and possessive adjectives should be changed accordingly, e.g., "I" should be changed to "we" and "my knowledge" should be changed to "our knowledge."

CERTIFICATE OF SERVICE

I, _____, hereby certify that a copy of

the (name of certifying official)

foregoing submission on behalf of _____,

(company name)

dated _____, was served by first class mail or by hand delivery (circle the

method used) on the following parties:

(Business Proprietary

Version) On Behalf of

Name and

address (Public

Version) On

Behalf of

Name and address

(Signature of Certifying Official)